



Model No. / Description	Spec.	MSRP (included VAT)	Csomag tartalma	Nettó ár	Bruttó ár
<i>Time Lapse Camera</i>					
<b>TLC200 (Blue/Green)</b> <b>Portable Time Lapse Cam</b> 	1. Camera Sensor: 1.3 Mega Pixel CMOS 2. <b>with 2G SD Card Included</b> 3. Output Format: - Video Mode Format: AVI. Resolution: 1280x720, 640x480 - Still Image Mode (only for using Shutter Line) Format: JPEG. Resolution: 1280x720, 640x480 4. Field of View : 59° 5. Focal Length : 36 mm (35mm equivalent) 6. Focus Distance : 75 cm (Minimum) 7. Time Interval : from 1 sec to 24 hours 8. Memory Storage : SD Card (Supported Up to 32GB) 9. LCD Screen : 1.44" TFT LCD 10. Power Supply : DC IN: 5V (Micro USB connector) Battery: 4 AA Batteries 11. Size (DxWxH) : 64x 46x 106 mm 12. Weight : 250 g(without batteries) 13. <b>2 different colors for selection</b>	<b>119 €</b>	<b>User Manual, 4GB SD Card and 4 AA Batteries included</b>	<b>33 500 Ft</b>	<b>42 545 Ft</b>
<b>TLC200PRO</b> <b>Time Lapse Cam</b> <b>Portable HDR</b> 	1. Camera Sensor: 1.3 Mega Pixel CMOS; Pixel size 4.2um; Sensitivity 3650mV/lux-sec (Ultra good low light quality) 2. with 4G SD Card Included 3. Rotate Lens: 120° 4. <b>1/3" HDR sensor (115dB high dynamic range)</b> 5. <b>CS Mount</b> 6. <b>Aperture : F2.0</b> 7. <b>Field of View : H: 102°, V: 58°, D: 112°</b> 8. <b>Focal Length : 14mm (35mm equivalent)</b> 9. <b>Focal Distance : 40cm (minimum)</b> 10. Video Format : AVI ; Resolution: 1280x 720 11. Still Image : JPEG (only for using Shutter Line) ; Resolution: 1280x720 12. Time Interval : From less than 1 sec. to 24 hrs 13. ASAP : 0.5 ~ 1 second 14. Memory Storage : SD Card (Supported Up to 32GB) 15. LCD Screen : 1.44" TFT LCD 16. Power Supply : DC IN: 5V (Micro USB connector) Battery: 4 AA Batteries 17. Size (DxWxH) : 64x 46x 106 mm ; Weight : 120 g (without batteries)	<b>259 €</b>	<b>User Manual, 4GB SD Card and 4 AA Batteries included</b>	<b>72 912 Ft</b>	<b>92 598 Ft</b>

**BCC100 / Construction Cam Bundle**



**259 €**

User Manual, 4GB SD Card and 4 AA Batteries included

(TLC200f1.2 kamera, ATH110 tok, AWN100 fali tartó, 2 db gumipók)

72 912 Ft

92 598 Ft

**BCC200 / Construction Cam Pro**






**359 €**




User Manual, 8GB SD Card and 4 AA Batteries included




(TLC200PRO kamera, ATH1200 tok, univerzális rögzítő, 2 db gumipók)




101 063 Ft

128 350 Ft

<p><b>TLC120 / HDR Time Lapse Camera</b></p> 	<ol style="list-style-type: none"> <li>1. Camera Sensor: 1/3" HDR Sensor; 1.3Mega Pixel; Pixel Size: 4.2um</li> <li>2. Dynamic Range: 115db</li> <li>3. Sensitivity: 3650mV/lux-sec(Ultra good low light quality)</li> <li>4. Optical Lens:Low Distortion Fixed Aspherical Lens</li> <li>5. Aperture: F2.0</li> <li>6. Field of View: 112°</li> <li>7. Focal Length: 19mm (35mm equivalent)</li> <li>8. Focal Distance: 0.4M~∞</li> <li>9. Custom Image: Exposure, Saturation, Contrast, Sharpness</li> <li>10. Format: AVI</li> <li>11. Resolution: 720p (HD)</li> <li>12. Memory Storage: SD/SDHC Card (supported up to 32GB)</li> <li>13. Power Source : Li-Po rechargeable Battery, 1500mAh; DC-IN: 5V (Micro USB connector)</li> <li>14. Battery Life: 2 sec. time interval/120,000 frames; from 1.5 days to 20 days</li> </ol>	<p><b>339 €</b></p>	<p><b>Package content: TLC120 x 1; 8GB SD card; Micro USB cable; Quick Guide</b></p>	<p><b>95 433 Ft</b></p>	<p><b>121 200 Ft</b></p>
<p><i>Optional Accessories for TLC200</i></p>					
<p><b>ATL045</b> <b>Wide Angle Lens for TLC200</b></p>  <p><b>ATL 045</b></p>	<ol style="list-style-type: none"> <li>1. Wide Angle Lens for TLC200</li> <li>2. Magnification :0.45X</li> <li>3. Lens construction : 2 elements in 2 groups</li> <li>4. external ring diameter 21mm/internal ring diameter 17mm</li> <li>5. Dimensions : 39φx 24mm(length)</li> <li>6. Weight :approx. 45g</li> </ol>	<p><b>61 €</b></p>	<p><b>If not purchase Brinno's various lens, then, please do check your own preference lens to make sure the compatibility before purchase as the magnet mount may not accept depending on the model.</b></p>	<p><b>17 172 Ft</b></p>	<p><b>21 809 Ft</b></p>
<p><b>BCS 18-55</b> <b>Interchangeable CS-mount Lens for TLC200 Pro</b></p> 	<ol style="list-style-type: none"> <li>1. Lens for TLC200 Pro</li> <li>2. Focal Length &amp; Maximum Aperture: 18-55mm f/1.2-1.95</li> <li>3. Lens Construction - 9 elements in 7 groups, including aspherical lenses</li> <li>4. Diagonal Angle of View: 113~48°</li> <li>5. Focus Adjustment – Manual, Vari-focal</li> <li>6. Closest Focusing Distance : 1cm</li> <li>7. Dimension : Ø 43 x 55 mm</li> <li>8. Weight : 60g</li> </ol>	<p><b>220 €</b></p>	<p><b>The lens for TLC200 Pro</b></p>	<p><b>61 933 Ft</b></p>	<p><b>78 655 Ft</b></p>

<p><b>BCS 24-70</b> Interchangeable CS-mount Lens for TLC200 Pro</p> 	<p>1. Lens for TLC200 Pro Aperture: 24-70mm f/1.4-2.4 Construction - 10 elements in 8 groups 5. Focus Adjustment : Manual, Vari-focal 8. Weight : 58g</p> <p>2. Focal Length &amp; Maximum 3. Lens 4. Diagonal Angle of View: 94~38° 6. Closest Focusing Distance : 1cm 7. Dimension : Ø 32 x 40 mm</p>	<p>109 €</p>	<p>The lens for TLC200 Pro</p>	<p>30 685 Ft</p>	<p>38 970 Ft</p>
<p><b>ATM100</b> for TLC200</p> <p>Motion Sensor</p> 	<p>1. Motion Sensor for TLC200 2. Sensor Distance : 5M 3. Detect Angle : 90° 4. Waterproof : IP54 5. Size(LxWxD) : 34x56x23mm 6. Color : Grey 7. Weight : 10g</p>	<p>34 €</p>	<p>MOTION SENSOR equipped with passive infrared red motion detection system, it will detect any movement.</p>	<p>9 571 Ft</p>	<p>12 156 Ft</p>
<p><b>ATH110</b> Resistant Housing for TLC200 &amp; TLC200f1.2</p> <p>Weather Resistant Housing</p> 	<p>1. Weather Resistant Housing for TLC200 and TLC200f1.2 2. Dimension: 90(W)x128(L)x55(D) mm 3. Material: PC, acrylic, and rubber 4. Weight: 116 g 5. Water resistance: IPX4</p>	<p>45 €</p>	<p>Weather Resistant Housing</p>	<p>12 668 Ft</p>	<p>16 088 Ft</p>

<p><b>ATH120</b> Resistant Housing for TLC200Pro</p> 	<p><b>Weather</b></p> <ol style="list-style-type: none"> <li>1. Weather Resistant Housing for <b>TLC200 Pro</b> only</li> <li>2. Dimension: 90(W)x128(L)x55(D) mm</li> <li>3. Material: PC, acrylic, and rubber</li> <li>4. Weight: 116 g</li> <li>5. Water resistance: IPX4</li> </ol>	<p><b>45 €</b></p>	<p><b>Weather Resistant Housing</b></p>	<p><b>12 668 Ft</b></p>	<p><b>16 088 Ft</b></p>
<p><b>AWM100</b></p> 	<p><b>Wall Mount</b></p> <p>size: 70 x 57 x 61mm      weight : 37g</p>	<p><b>19 €</b></p>	<p><b>Ideally for mounting Brinno Time Lapse Cameras</b></p>	<p><b>5 349 Ft</b></p>	<p><b>6 793 Ft</b></p>
<p><b>ATS110</b> Portrait Mirror</p>  <p>ATS100</p>	<p><b>Shutter Line + Self-</b></p> <ol style="list-style-type: none"> <li>1. Shutter Line/Cord &amp; Self-Portrait Mirror for TLC200 &amp; TLC200f1.2</li> <li>2. Used to trigger TLC200/TLC200f1.2 shutter without introducing movement to the unit</li> <li>3. Dimensions WxHxL: 3 x 3 x 11cm (excluding cord)</li> <li>4. Cord Length: 3ft.(91cm)</li> <li>5. Weight: 59g</li> </ol>	<p><b>24 €</b></p>	<p><b>Ideally use for Stop Motion and Face Time Lapse Videos</b></p>	<p><b>6 756 Ft</b></p>	<p><b>8 581 Ft</b></p>

<p><b>ABH100</b></p> 	<p><b>Bike Holder</b></p>	<p>1. a tripod mount that fits around your bike's handlebars  2. Standard tripod mount suitable for point &amp; shoots, M43 cameras, DSLR's with small lenses and camera phones  3. Size: 128x62x84mm  4. Weight: 280g</p>	<p><b>24 €</b></p>	<p><b>1. Ideally good for Bicyclists taking the Journey Time Lapse Videos</b>  <b>2. supporting bundles first, then, the leftover can be sold separately.</b></p>	<p><b>6 756 Ft</b></p>	<p><b>8 581 Ft</b></p>
<p><b>ART200</b> (Bluetooth Rotating Stand)</p> 	<p><b>Pan Lapse</b></p>	<p>1. Panning Speed : 360° in 120 seconds ~ 30 days  2. Power Source : 2 AAA Batteries  3. Battery Life : 48 hrs ~ 30 days (depending on camera weight/ speed setting)  4. Head to Tripod Mounting : Bottom: 3/8"  5. Thread : Top: 3/8", Smart phone clip  6. Operating System : Android 4.3 above; iOS 7.0 above  7. Dimensions : 3.15 x 3.15 x 1.6" (80 x 80x H:42 mm)  8. Weight : 0.3 lb (140 g)</p>	<p><b>139 €</b></p>	<p><b>1. helps you to take pro-quality 360° timelapse videos.</b></p>	<p><b>39 130 Ft</b></p>	<p><b>49 695 Ft</b></p>
<p><b>ABR100</b> supporting PHV, TLC, &amp; MAC series</p> 	<p><b>Card Reader</b></p>	<p>3 in 1 (USB, Micro SD Card, SD card) OTG line, Micro USB connector.</p>	<p><b>29 €</b></p>	<p><b>Ideally use for Stop Motion and Face Time Lapse Videos</b></p>	<p><b>8 164 Ft</b></p>	<p><b>10 368 Ft</b></p>

**ACM100**  
**for Brinno TLC Cameras**

**Monopod**

"1. color: black  
width: 90mm  
2. package length:560 mm,  
3. Ideal for Brinno TLC cameras  
4. can be rotated to control the photoing angle according to your requirement; compact and light weight"



**24 €**

**1. Perfect for Brinno TLC cameras**

**6 756 Ft**

**8 581 Ft**